QuickSpecs

Overview

Aruba Instant On AP11 Indoor Access Points

Designed for small retail stores, boutique shops, popular home offices looking to setup separate guest network or new POS system.

Small businesses are facing a number of challenges due to new and emerging technology, making it pretty overwhelming to keep up. Mobile devices and cloud-based applications such as Microsoft Office 365 are changing the way you engage with customers, suppliers and staff. Since it's tough enough to set up a up a new payroll system or choose the most effective point of sale solution - we believe choosing the best Wi-Fi for your business should be simple.

Whether you own a small retail store or a boutique shop, your employees and customers are relying on the network for almost everything they do. And because Wi-Fi plays such a crucial role today, you need a purpose-built solution that keeps your business on the go. Aruba Instant On Access Points (APs) are easy to deploy and manage—with a quality look and feel at an attractive price point.



Aruba Instant On AP11 Indoor Access Points

Aruba Instant On AP11 (US) 2x2 11ac Wave2 Indoor Access Point Aruba Instant On AP11 (RW) 2x2 11ac Wave2 Indoor Access Point Aruba Instant On AP11 (EG) 2x2 11ac Wave2 Indoor Access Point Aruba Instant On AP11 (IL) 2x2 11ac Wave2 Indoor Access Point Aruba Instant On AP11 (JP) 2x2 11ac Wave2 Indoor Access Point Aruba Instant On AP11 (US) Indoor AP with DC Power Adapter and Cord (NA) Bundle Aruba Instant On AP11 (RW) Indoor AP with DC Power Adapter and Cord (EU) Bundle R3J22A



Models

Overview

Key Features

- Smart Mesh technology
- 802.11ac Wave 2 2X2:2 MU-MIMO radios
- Remote management and monitoring capability
- Separate guest and employee Wi-Fi network
- Mobile app in multiple languages and cloud portal
- Easy client/device blocking
- Built-in DHCP/NAT support
- App bandwidth limiting per network/user session

In the box

- 1 x Aruba Instant On AP11 Indoor Access Point
- 1 x Aruba Instant On AP11 Quick Start guide
- 1 x ceiling rail mount clip
- 1 x solid surface mount clip
- 1 x Ethernet cable

Standard Features

Product highlights

Simplicity at its best

- Wi-Fi that works right out of box
- Easy-to-use mobile app for deployment and upkeep.

Security you can count on

- Wi-Fi that keeps business and visitor traffic separate
- Latest WPA2/WPA3 authentication for secure network access

We've got you covered

- Industry leading warranty and support
- A customizable guest access splash page that shows off your brand

Antennas

Integrated down-tilt omni-directional antennas with maximum individual antenna gain of 3.3dBi in 2.4GHz and 5.8dBi in 5GHz

Mounting

The access point ships with a (black) mount clip to attach to suspended ceiling rails, and a (white) mount clip to attach to solid surfaces (wall/ceiling)

Warranty and Support

Aruba Instant On 1 Year warranty with 24X7 phone support for first 90 days and chat support for the entire warranty period. Community support as long as you own the products.

Configuration Information

Build To Order:

BTO is a standalone unit with no integration. BTO products ship standalone are not part of a CTO or Rack-Shippable solution.

BTO Bas	Description	SKU			
Rule #	AP11				
	Aruba Instant On AP11 (US) 2x2 11ac Wave2 Indoor Access Point				
	Aruba Instant On AP11 (RW) 2x2 11ac Wave2 Indoor Access Point				
	Aruba Instant On AP11 (EG) 2x2 11ac Wave2 Indoor Access Point Aruba Instant On AP11 (IL) 2x2 11ac Wave2 Indoor Access Point				
Notes:	OCA Only Model Selection Form – Aruba > Instant On > Wireless Access Points: AP11				
	· · · · · · · · · · · · · · · · · · ·				
	AP11 Bundle	5			
	Aruba Instant On AP11 Access Point and PSU Bundle Base WW	R6K61A			
	Includes 48V Power Adapter with Localized Power Cord.				
Notes:	 If this Access Point is selected, bring in (Min 1 // Max 1) Localized Wall Power Cord Option based on the HPN Localization Menu. 				
	 Drop down under Included Power Adapter should offer the following selections: No Localized Power Cord - #AC3 Option 				
	 WW Instant On Bundle is not availabe in Israel, Japan or Egypt at this time. They must be manually configured. Please go back to the Instant On Catalog and select the Standalone Container 				
	Aruba Instant On AP11 (US) Indoor AP with DC Power Adapter and Cord (NA) Bundle Includes 48V Power Adapter with US Power Cord	R3J21A			
	Aruba Instant On AP11 (RW) Indoor AP with DC Power Adapter and Cord (EU) Bundle	R3J22A			
	Includes 48V Power Adapter with EU Power Cord				
Notes:	OCA Only Model Selection Form -				
	Aruba > Instant On > Wireless Access Points:				
	Indoor AP11 Bundles				

Configuration Information

Power Options							
Remarks	Description For AP11 Std (Min 0 // max 1) User Selection (min 0 // max 1) Aruba Instant On 12V/30W Power Adapter Aruba Instant On 15.4W 802.3af POE Midspan Injector						
						Aruba Instant On 12V/36W PSU Power Adaptor	R3X85A
					Notes:	If this Power Supply is selected, bring in (Min 1 // Max 1) Localized power cord based on the Aruba Localization Menu. Most devices are PoE powered from switch so these are optional.	
	Regional Power Options						
	Add 3-prong (C13) AC power cord for Power Adaptor/PoE Injector PC-AC-ARG Argentina 220V AC 10A 2-meter AC Power Cord	JW113A					
	PC-AC-AUS Australian AC Power Cord	JW113A JW114A JW115A JW116A JW117A JW118A JW120A JW120A JW121A JW122A JW122A JW123A					
	PC-AC-BR Brazil AC Power Cord						
	PC-AC-CHN China AC Power Cord PC-AC-DEN Denmark 220V AC 10A 2-meter AC Power Cord PC-AC-EC Continental European/Schuko AC Power Cord PC-AC-IN India AC Power Cord PC-AC-IL Israel 250V AC 10A 2-meter AC Power Cord PC-AC-IT Italian AC Power Cord PC-AC-JP Japanese AC Power Cord PC-AC-NOR Korea AC Power Cord PC-AC-NA North America AC Power Cord						
	PC-AC-SWI Switzerland 220V AC 10A 2-meter AC Power Cord	JW125A					
	PC-AC-TW Taiwan AC Power Cord	JW126A					
	PC-AC-UK UK AC Power Cord	JW127A					
	PC-AC-ZA South Africa 250V AC 10A 2-meter AC Power Cord	JW128A					
	PC-AC-H-ARG Argentina 220V AC 10A Max Current AC Power Cord	JW129A					
Spares							
Remarks	Description	SKU					
	Mount Kits						
	For AP11 Std (Min 0 // max 99) User Selection (min 0 // max 99)						
	AP-220-MNT-C1 2x Ceiling Grid Rail Adapter for Basic Flat Rails Mount Kit	JW044A					
Notes:	AP-220-MNT-C1 AP Mount Kit for AP-103 Single Gang Wall Box Mount Adapter						
	AP-MNT-W4 White Low Profile Basic AP Flat Surface Mount Kit	Q9U25A					
Notes:	AP-MNT-W4 Low Profile Basic AP Mount Kit						
	AP11 Unit ships with two mounting brackets, one for the ceiling mount and one for the wall mount						

Technical Specifications

Radios

- Dual radio for simultaneous dual-band operation
- 5 GHz 802.11ac 2x2 MIMO for up to 867 Mbps wireless data rate, with Multi User MIMO support (Wi-Fi 5)
- 2.4 GHz 802.11n 2x2 MIMO for up to 300 Mbps wireless data rate (Wi-Fi 4)

Interfaces

- 1 x Uplink Gigabit Ethernet port, with POE-in support (802.3af)
- 1 x DC power connector (12V)
- 1 x Bluetooth Low Energy (BLE) radio
- 2 x LED status indicators
- 1 x Reset/LED control button
- 1 x Kensington security slot

Physical characteristics

- **Dimensions:** 34 x 152 x 152 mm (1.3 x 6.0 x 6.0 in), H x W x D
- **Weight:** 193 g (0.4 lb)

Power

- Power over Ethernet (POE): 802.3af (class 3)
- DC power (12V)
- **Notes:** Power sources are sold separately

Environmental and reliability

- Operating temperature: 0° C to +40° C (+32° F to +104° F)
- **Humidity:** 5% to 93% non-condensing
- MTBF: 795khrs (91yrs) at +25° C

Management

- Instant On mobile application (Android and iOS)
- Cloud Portal: <u>Portal.ArubalnstantOn.com</u>

Industry certifications

- UL 2043 plenum rating
- EN 60601-1-1 and EN 60601-1-2 (for deployment in medical environments)
- Wi-Fi Alliance certified (WFA) 802.11ac with Wave 2 (Wi-Fi 5), WPA2, WPA3, Enhanced Open (OWE).

Summary of Changes

Date	Version History	Action	Description of Change
01-Jun-2020	Version 3	Changed	Configuration Information was updated.
			New SKUs were added.
04-Nov-2019	Version 2	Changed	Overview, Standard Features and Configuration Information sections were updated
01-Jul-2019	Version 1	New	New QuickSpecs

Copyright

Make the right purchase decision. Contact our presales specialists.









Get updates



© Copyright 2020 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

sFlow is a registered trademark of InMon Corp. All other third-party trademark(s) is/are property of their respective owner(s).

To learn more, visit: http://www.hpe.com/networking

a00062187enw - 16387 - Worldwide - V3 - 01-June-2020